


MAC address and type of the network adapter

Click on Start/All Programs/Accessories/Command prompt.

Type **ipconfig /all** and press OK.

A screenshot of a Windows Command Prompt window. The title bar reads "CA: Command Prompt". The command prompt shows the command "C:\>ipconfig /all_" entered, with a cursor at the end. The rest of the window is black, indicating that the output of the command has not yet been displayed.

Read the information in the next window.

Note that the Physical address is the MAC address.

Description is the Type of the network adapter.

On the screenshot below you can see that the MAC address for **Wireless LAN adapter Wireless Network Connection** is **00-90-4B-BC-23-CC** and the MAC address for **Ethernet adapter Local Area Connection** is **00-00-86-51-BD-61**.

```
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7600]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\admin>ipconfig /all

Windows IP Configuration

Host Name . . . . . : admin-PC
Primary Dns Suffix . . . . . :
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No

Wireless LAN adapter Wireless Network Connection:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . . . . . :
Description . . . . . : Broadcom 802.11g Network Adapter
Physical Address. . . . . : 00-90-4B-BC-23-CC
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . . : Yes

Ethernet adapter Local Area Connection:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . . . . . :
Description . . . . . : Realtek RTL8169/8110 Family PCI Gigabit Ethernet NIC (NDIS 6.20)
Physical Address. . . . . : 00-00-86-51-BD-61
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . . : Yes

Tunnel adapter Local Area Connection* 9:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . . . . . :
Description . . . . . : Microsoft 6to4 Adapter #2
Physical Address. . . . . : 00-00-00-00-00-00-00-E0
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . . : Yes

Tunnel adapter Teredo Tunneling Pseudo-Interface:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . . . . . :
Description . . . . . : Teredo Tunneling Pseudo-Interface
Physical Address. . . . . : 00-00-00-00-00-00-00-E0
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . . : Yes
```